Door Collection





www.jbkind.com

0

WELCOME

New designs, expanded ranges and trusted favourites... there is something for everyone in our 2021 Door Collection.

Celebrating the appeal of 'industrial style' interiors, our sleek new Urban Industrial range (p16-21), oozes cool city-living. Whether you choose them in black or white, glazed or not, the City and Metro door designs are perfect for modern, sophisticated homes.

Some ranges have been expanded to offer even more choice. Our new Palomino (p29) is the latest addition to our Oak Contemporary range. This popular ladder style design, offers a competitively priced unfinished oak veneer alternative. New to our ever-popular Laminates range is the Tigris Cinza (p69). Building on the success of our Alabama Cinza, this dark grey laminate is now available in our top-selling Tigris design.

The classic shaker style never dates, so we have introduced a new Rushmore White (p101), a fresh alternative for our longstanding favourite, the Rushmore Oak.

So, whatever your taste and budget, you're certain to find your ideal door design within these pages.

Architects, Specifiers and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards. From fire protection and thermal insulation to renewable resources and disabled access, you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as Certifire and FSC[®] chain of custody.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.

Contents

out JB Kind Doors	<u>pages 4-5</u>
or Showroom	<u>page 6</u>
nere to Buy	<u>page 7</u>
w to Choose Your Doors	pages 8-9
ir Services	
Bespoke Options	<u>page 11</u>
Colour Options	<u>pages 12-13</u>
nternal Doorsets	<u>pages 14-15</u>
Rebated Door Pairs	<u>page 15</u>
ernal Doors	pages 16-111
cket Door Systems	pages 112-11
or Furniture	pages 116-11
ternal Doors	pages 118-12
eful information	<u>page 122</u>
lex	<u>page 123</u>



Walnut Doors

White Doors

See pages 82-111

See pages 58-65



Colour Options paint service

Add a touch of colour to vour doors with our Colour Options paint service. Look out for the 🎎 icon against compatible doors.

See pages 12-13 for more information.





Exterior Doors See pages 118-121

T: 01283 554197

Painted Doors

See pages 76-81

Oak Doors

See pages 22-57

We've a rich heritage in timber products

Initially a timber merchant and box manufacturer based in Burton-on-Trent, our founder John Blower Kind established the business in 1870.

150 years on and we're still going strong!

JB Kind's business has always diversified and moved with the times, including manufacturing goods for the military during both World Wars and more recently timber pallets.

In 1983, JB Kind introduced a new line of business, a door division! Offering a new and innovative approach to supplying affordable, quality door designs proved so successful, the business turned exclusively to doors in 2007 and we haven't looked back since!

Like to know more about our history? Visit jbkind.com/about/history










Today, we offer more than just doors

At our purpose built head office and distribution centre in Derbyshire, we offer a number of different door related products and services.





Whether you require tailor made

Space saving pocket door systems that are easy to install and an attractive selection of handle packs that include everything you need to fit a door, are also available.

In-house Joinery service

Our team of experienced joiners offer a range of services related to door installation. These include, glazing FD30 fire doors and rebating doors into pairs.



Certifications & Memberships

Our dedication to meeting the highest standards for our customers is illustrated by our continuous achievement of the UK quality standard to the ISO9001 accreditation. In addition, we are affiliated to the British Woodworking Federation (BWF) and Timber Research and Development Association (TRADA) which together set the industry standards for the supply of wood products into the UK.



Look for FSC[®] certified products

FSC® Certified chain of custody door supplier



We hold our own FSC[®] chain of custody certification for certain doors within our collection. Chain of custody certification ensures that the systems within our business allow us to track the door from the day we buy it, through to the day we deliver it. Wherever you see FSC[®] Certified within a product description that door has been produced from certified materials and other controlled sources.



The largest display of JB Kind doors in the UK

At our showroom we welcome visitors from across the UK to view the largest range of JB Kind doors in the country.



BOOK TODAY...

Please call 01283 554197 to make an appointment or complete our online appointment form.

From architects and specifiers, to developers, self builders and renovators, we offer exclusive access to the showroom, Monday to Friday on an appointment only basis.

Based in Swadlincote, South Derbyshire, JB Kind's showroom is conveniently located just 10 minutes from either junction 11 or 13 on the M42.

You will be able to view more than 70 doors on display from our latest and most popular door ranges, as well as a double pocket door system, a working bi-fold door and rebated door pair.

View our Virtual Showroom tour at jbkind.com/about/door-showroom

Alternatively, we have many partners throughout the UK with our doors on display, so please consult us for the closest to you or visit our online Supplier Locator.



Builders merchants and door retailers

Our doors can be ordered from Builders Merchants and Door Retailer partners across the UK and buying your JB Kind doors is now even easier with our online <u>Supplier Locator</u>.

Just go to **www.jbkind.com** and put in your postcode to find the closest retailer to you – we also tell you which outlets have JB Kind door displays so you can take the time to go and experience just how fabulous our doors really are!

Buy online

If you already know exactly what you want and you like the ease of ordering online, then just pop onto our website and check out the buy online section with links to our

approved <u>Online Partners</u> - then you're just a click away from receiving your dream doors.

BKind

NEED ADVICE?

Sometimes you'll need advice and we are always here to help. Just give us a call on **01283 554197** or email info@jbkind.com

Let's get Social

Join our online community and follow us on Social media for inspirational ideas, product information, news and much more.

Why not share photos of your projects? We love seeing our doors in their new homes.

Plus, you can chat with our team, who are always happy to offer help and guidance.

YouTube

Seeing is believing! For more inspiration, pop along to our YouTube channel. You'll find videos on many of our product ranges, as well as helpful 'How to' guides and tours of our headquarters and showroom.







T: 01283 554197

HOW TO HOUSE HOUSE HOUSE

Measuring up

To make sure you purchase the right door sizes, take the following measurements.

Door width: measure the top, middle and bottom of the door frame. The widest measurement determines the width of the door.

Door height: measure inside the vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

NB. You can plane door edges slightly to reduce the size. If required, please call us for details of the lipping size.



Door size conversion chart: A little help if you need to work out the metric and imperial equivalent for door sizes.

Height & Width

Metric	Imperial	Imperial
(mm)	(inches)	(feet & inches)
1981 x 457	78″ x 18″	6'6" x 1'6"
1981 x 533	78″ x 21″	6'6" x 1'9"
1981 x 610	78″ x 24″	6'6" x 2'0"
1981 x 686	78″ x 27″	6'6" x 2'3"
1981 x 711	78″ x 28″	6′6″ x 2′4″
1981 x 762	78″ x 30″	6′6″ x 2′6″
1981 x 838	78″ x 33″	6′6″ x 2′9″
1981 x 915	78″ x 36″	6'6" x 3'0"
1981 x 1067	78″ x 42″	6'6" x 3'6"
1981 x 1168	78″ x 46″	6'6" x 3'10"
1981 x 1220	78″ x 48″	6'6" x 4'0"
1981 x 1372	78″ x 54″	6'6" x 4'6"
1981 x 1524	78″ x 60″	6'6" x 5'0"
2032 x 813	80″ x 32″	6'8" x 2'8"
2134 x 915	84″ x 36″	7′0″ x 3′0″
2040 x 526	80¼″ x 20 ¹¹ /16″	6'8¼″ x 1'8 ¹¹ /16″
2040 x 626	80¼ x 24 ⁵ /8″	6′8¼″ x 2′0⁵⁄₅″
2040 x 726	80¼ x 28 ⁵ ⁄/8″	6'8¼″ x 2'45⁄8″
2040 x 826	80¼ x 32½″	6′8¼″ x 2′8½″
2040 x 926	80¼″ x 36 ⁷ /16″	6'8¼" x 3'0 ⁷ /16"

STEP 1

Choose your preferred door style

Browse through and select your favourite door designs, colours and finishes. Not forgetting, a matching glazed partner, should you wish to add some extra light. Take inspiration from our Gallery of lifestyle images online at jbkind.com

STEP 2

Check the sizes available

If one of our standard door sizes does not fit your requirements, check if a special size can be ordered through our Bs Bespoke Options service, page 11.

STEP 3

Consider how the doors will be fitted

- Do you need any door pairs? If so, take a look at our Door Pair rebating service page 15.
- Would a Pocket Door System help create some extra space? Ideal for renovation and new build projects, see pages 112-115.
- Will you require any fire doors? Virtually all of our door designs offer an FD30 fire door option. See below.
- A pre-hung Doorset complete with frame and ironmongery could be better suited to your project. If so, see pages 14-15.
- Ensuites, wardrobes and cupboards often require a space saving solution. Consider a matching bi-fold option, pocket door system or invest in some sliding door tracking.

Fire Doors

Fire doors are a serious business, and that's why we invest our time, energy and money to ensure that we have one of the most comprehensive, and accredited, collections of fire doors in the UK.

As responsible suppliers of fire resistant doors, we ensure that all of our FD30 doors have been tested in accordance with either the British BS476 pt22 or European EN1634-1:2000 standards.

All of our fire doors have a Fire Test Assessment report which is available upon request and outlines in detail exactly what you can and can't do when fitting any particular door. All fire doors are glazed with fire-rated glass.

FD30 fire door pairs: please note that not all FD30 fire doors offered within this brochure are certificated for use as pairs. Please contact us for more information.

For more information on fire doors, including details on Glazed Fire Doors & Part M (Mobility) visibility requirements, log on to jbkind.com or call 01283 554197.

STEP 4

Pick the right handle

A stylish handle really does finish off a door. Take a look at our Door Handle Packs, pages 116-117, supplied with everything you need to fit a door.

STEP 5

Price up your doors

JB Kind's doors can be purchased through Builders Merchants and Door Retailer partners across the UK, any of which will be happy to provide a quote.

Either call us on 01283 554197 for details of your local supplier or visit our online Supplier Locator at <u>jbkind.com</u>. Alternatively you can Buy Online via one of our approved Online Partners and your doors will just be a click away.



Finding your fire doors

Look out for the \blacklozenge or \blacklozenge icons that are adjacent to product codes throughout the brochure.

For a more detailed breakdown of the fire door options by range. See our online 'At a Glance Guide' that shows the standard stock and bespoke options for both solid and glazed FD30 fire doors, at jbkind.com/info-centre/fire-doors



Certificated Fire Doors

Fire doors certificated by Warringtonfire are identified by \blacklozenge Certifire FD30 Fire door. JB Kind's membership of the BWF Fire Door Alliance Scheme supports the promotion of third party certification.



Need to know more about any of our services or wish to order? Call **01283 554197** or email <u>info@jbkind.com</u>

Bs Bespoke Options

Whether you're self-building, renovating your home, purchasing for a development project or you're an interior design expert, you'll want to take a look at JB Kind's bespoke options. The versatility of our bespoke service is ideal for those special requirements.

Many of our door designs have bespoke options available. Look out for the \boxed{BS} icon adjacent to product images.

Make your mark

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or painted finish, or maybe you would like to create a style that is completely unique and different?

More veneers and painted finishes can be viewed online at jbkind.com.



MADE TO MEASURE

There are a wide range of standard door sizes available, however, sometimes you just cannot avoid an awkwardly sized door opening.

Many of the doors from our collection can be produced to order as a special size.



BESPOKE GLAZING

Whether you prefer a full glazed panel or smaller apertures, there are so many options for a glazed door. Clear, bevelled, diamond cut and etched are some of the most popular glazing types. Let us know what you would like to achieve and we'll advise on the options.







FIRE DOORS

JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Supported by the appropriate accreditations, you can be safe and stylish.

Rebated Door Pairs

OUR SERVICES



Colour Options Paint Service

All the colours of the spectrum

Bring colour to your home and make a style statement by painting your doors any colour you like!

Painting doors can be fiddly and time consuming, so let us take the hassle away and arrange for your doors to be professionally spray painted prior to delivery. All you have to do is tell us your preferred RAL Classic colour and we will do the rest.

Our White Classic, White Moulded and External Extreme door ranges are suitable for this service – look out for the site icon as you browse through the brochure.

Note: Our painting service typically takes 3-4 weeks including delivery. Touch up kits are available to order. Colours shown are representative only. Please be aware that the appearance of RAL colours can vary depending on the absorbency level of the door face. Subject to terms and conditions.

BENEFITS

Save time

No need to prepare (de-nib/sand) doors prior to painting and paint several coats on each side, allowing for drying time too!

Cost saving

Eliminate the cost of purchasing paint and equipment, plus labour if you employ someone to do the job for you.

Perfect finish

Spray painting gives a smooth factory finish without brush marks or uneven coverage.

Colour choice

You really can have any colour on the RAL Classic spectrum. Even if you would like to paint your doors a shade of white, we will ensure they have the perfect finish.

www.jbkind.com



Spray painting gives a smooth factory finish every time - no brush marks or uneven coverage.



Dsborne in RAL 1019 Grey Beige



Belton Clear Glazed in RAL 5008 Grey

Blue



The RAL Classic colour chart offers many different shades, so you should be able to find your perfect hue. As a guide, here are some of our customers favourites and you'll see that shades with a grey undertone are currently very popular.







7003 Moss Grey 7

7016 Anthracite Grey 70

7044 Silk Grey

1019 Grey Beige

9005 Jet Black

T: 01283 554197



Internal Doorsets

All of our internal doors, including fire doors, can be supplied as factory pre-assembled Doorsets. The perfect door solution for self builds, new housing and apartment developments.

BENEFITS OF A DOORSET

Save time Each Doorset is pre-hung and ready to install*.

Labour cost saving Quicker fitting times help reduce onsite costs.

Single sourcing Ease of purchasing all door related components in one place.

Fully certificated Peace of mind that each Fire and Security rated Doorset is fully compliant.

Factory controlled

Each Doorset is assembled in a factory environment to ensure consistency and quality.

What's in a Doorset?

 Hinges fitted
 Door leaf
 Latch/lock fitted
 Frame/lining, complete with door stop
 Floor covering

Architrave is also supplied (not shown): available in a variety of styles

clearance

*Doorset pairs are

supplied unassembled



Here's a checklist of the key information that will be required to help us process your enquiry: \checkmark Quantity required Structural opening heights and widths Wall depth 1 Handing (left or right) as viewed from the pull side Floor clearance (distance from bottom of frame to bottom of door) Type of door – Standard (35/40 mm), FD30/FD60 fire rated (44/54mm) and/or Security rated Door design style Frame material and finish – mdf or softwood in primed, lacquered or stained Frame type – rebated or lining Architrave profile and dimensions


Fire rated internal doorsets are available for FD30 and FD60 Fire Doors



Rebated Door Pairs

If you would like to fit a first-class door pair, we would recommend considering Rebated Meeting Stiles. Rebating means removing a section along the vertical edge of each door where they meet to allow them to fit snugly together, eliminating the small gap that you would see with square meeting stiles (two doors fitted side by side).

A number of door designs held within our stock ranges are suitable for rebating with a short lead time (see table below). This service is offered through our in-house joinery workshop. If your preferred door type is not listed, please check if our Bespoke Options service is available, as they could be made to order.



Doors that can be rebated into a pair from stock

Range	Door Designs
Urban Industrial	All door designs
Oak Contemporary	Tigris Oak & Medina (sizes: 686 & 762mm)
Oak Classic	Dove Pairs (ready rebated)
Oak Shaker	All door designs (except fire doors & bi-folds)
Oak Cottage	Thames + glazed partners (except fire doors & bi-fold) Yoxall & Tutbury
Walnut	Axis
White Classic	All door designs (except fire doors)
White Contemporary	All door designs (except Ripple) Contact us for fire door options
White Shaker	All door designs (except fire doors & bi-folds)
White Moulded	Classique 6 Light Pairs (ready rebated)

14

T: 01283 554197

15

URBAN INDUSTRIAL

Combining the cool appeal of the urban landscape with the stylish lines of modern living

URBAN INDUSTRIAL Click here to view on our website



Finish: Style: Glazing:	Black or white painted finish Art deco style panels Clear flat safety glass City Black is also available with tinted glass All glazed doors are constructed with individual panes for added stability		
Construction:			
Other:	on glazed doors 10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock with a short lead time		
NEW City B			
	NEW City Black Clear Glass		





NEW City Black Tinted Glass **NEW** City White

Size (mm)

FINISHED

Code

1981 762 35 UCIT26GGBL

NEW City White Clear Glass



1981 762 35 UCIT26WH

1981 838 35 UCIT29WH

Size (mm)	Code
FINISHED	
1981 686 35	UCIT23GWH
1981 762 35	UCIT26GWH
1981 838 35	UCIT29GWH

URBAN INDUSTRIAL Click here to view on our website



block of white painted initish		
Ladder style panels		
Clear flat safety glass,		
constructed with individual		
panes for added stability		
Solid framing and lock blocks		
Robust 9mm MDF panels for		
solid doors		
No risk of drilling into glass or		
glazed doors		
10mm trimming allowance or		
bottom rail		
Suitable for regular door		
ironmongery		
Rebated door pairs can be		
ordered from stock with a		
short lead time		
Black		

Finish:

Black or white painted finish

Size (mm) Code FINISHED 1981 610 35 UMET20BL 1981 686 35 UMET23BL 1981 762 35 UMET26BL 1981 838 35 UMET26BL



NEW Metro Black Clear Glass NEW Metro White NEW Metro White



And and a second second second	The second se
1 7	
Size (mm) Code	Size (mm) Code
FINISHED	FINISHED
1981 686 35 UMET23GBL	1981 610 35 UMET20WH
1981 762 35 UMET26GBL	1981 686 35 UMET23WH
1981 838 35 UMET29GBL	1981 762 35 UMET26WH

1981 838 35 UMET29WH


_	
_	
_	


FINISHED 1981 686 35 UMET23GWH 1981 762 35 UMET26GWH 1981 838 35 UMET29GWH

Oak gives a beautiful, natural feel to any room. This versatile, timeless wood looks stunning whether you go for a contemporary or traditional design.

Contemporary | Classic | Shaker | Cottage

 $\left(\right)$





Bs Bespoke options Solid thre construction

Code

real wood grooves



-

Code PRE-FINISHED 1981 762 35 OMISBF26



Mistral Oak Bi-fold is also available in White. see page 91.

T: 01283 554197



Finish: Unfinished oak veneer with real oak grooves
 Style: 7 ladder style panels
 Glazing: Clear safety glass with raised beading
 Other: ♦ FD30 Fire doors

NEW Palomino

Bs

 Size (mm)
 Code

 UNFINISHED*
 1981 610 35 0PAL20

 1981 686 35 0PAL23
 1981 762 35 0PAL26

 1981 762 35 0PAL26
 1981 838 35 0PAL29

 1981 686 45 0PAL23FD30 0
 1981 762 45 0PAL26FD30 0

 1981 838 45 0PAL29FD30 0
 1981 838 45 0PAL29FD30 0



NEW Palomino Glazed




Size (mm) Code UNFINISHED* 1981 686 35 OPAL23G 1981 762 35 OPAL26G 1981 838 35 OPAL29G Glazed fire doors available to order wth clear flat glass. Lifestyle images show doors finished.



Make a statement with a pocket door system see page 112

 Pre-finished available to order
 Bespoke options
 Sold three construction







Finish:Pre-finished oak veneerStyle:Flush with light wood inlaysGlazing:Clear bevelled safety glass
with raised beadingOther:♦ Certifire FD30 Fire doors



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Size (mm)		Code
PRE-F	INISH	IED	
1981	610	35	OVEN20
1981	686	35	OVEN23
1981	762	35	OVEN26
1981	838	35	OVEN29
1981	762	44	OVEN26FD30
1981	838	44	OVEN29FD30

B

*

	Julio
	<u> </u>
	Size (mm) Code
	PRE-FINISHED
	1981 686 35 0JUN23
	1981 762 35 0JUN26
	1981 838 35 0JUN29
	Glazed fire doors available
	to order with clear flat glass.

Lucina	Þ	Diana
		Nickel.
fin (mr)		Circ (mar)
Size (mm) Code		Size (mm) Code
PRE-FINISHED		PRE-FINISHED
1981 610 35 OLUC20		1981 610 35 0DIA20
1981 686 35 OLUC23		1981 686 35 ODIA23

PRE-F	INISH	IED	
1981	610	35	OLUC20
1981	686	35	OLUC23
1981	762	35	OLUC26
1981	838	35	OLUC29
1981	762	44	OLUC26FD30 è
1981	838	44	OLUC29FD30 è

1981 762 35 ODIA26

1981 838 35 ODIA29

1981 762 44 ODIA26FD30 è

1981 838 44 ODIA29FD30 🌛

and the second sec	TAN DATE OF THE OWNER OF THE OWNE
	K \$ 641 H 661 H 4
	S M A US II CALIFICATI
	Light wood inlay

Size (mm)	Code			
PRE-FINISHED				
1981 686 35	OMIN23			
1981 762 35	OMIN26			
1981 838 35	OMIN29			
Glazed fire doors available to order with clear flat glass.				

Make a statement with a pocket door system see page 112

Bespoke options Bespoke construction



- **Finish:** Unfinished and pre-finished oak veneer Style: Raised shaped panels with raised mouldings Glazing: Clear bevelled safety glass with raised mouldings 12-6VM FD30 is clear flat fire glass

All images show doors finished.

Royale 12M Oak



Size (mm)	Code	Size (mm)	Code
PRE-FINISHED		UNFINISHED	
1981 610 35	12M610-0	1981 610 35	U012MN20
1981 686 35	12M686-0	1981 686 35	U012MN23
1981 762 35	12M762-0	1981 762 35	U012MN26
1981 838 35	12M838-0	1981 838 35	U012MN29
2030 625 40	12M625-0	1981 610 45	U012MN20FD30 실
2030 725 40	12M725-0	1981 686 45	U012MN23FD30 실
2030 825 40	12M825-0	1981 762 45	U012MN26FD30 실
1981 610 45	12MHH610-0 실	1981 838 45	U012MN29FD30 실
1981 686 45	12MHH686-0 è		
1981 762 45	12MHH762-0 è		
1981 838 45	12MHH838-0 실		
2030 725 45	12MHH725-0 실		
2030 825 45	12MHH825-0 실		



Royale 12-6VM Oak 1

re

limber veneers are a natural
material and variations in the
colour and graining should be
expected. Colours depicted an
representative only.

Size (mm)	Code	Size
PRE-FINISHED	126VM610G-0	UNF 198
	126VM610G-0	198
1981 762 35	126VM762G-0	198

Size (mm) Code	Size (mm) Code
PRE-FINISHED	UNFINISHED
1981 610 35 126VM610G-0	1981 610 35 U0126VMN20
1981 686 35 126VM686G-0	1981 686 35 U0126VMN23
1981 762 35 126VM762G-0	1981 762 35 U0126VMN26
1981 838 35 126VM838G-0	1981 838 35 U0126VMN29
2030 625 40 126VM625G-0	1981 686 45 UO126VMN23FD30 è
2030 725 40 126VM725G-0	1981 762 45 UO126VMN26FD30 è
2030 825 40 126VM825G-0	1981 838 45 UO126VMN29FD30 è
1981 686 45 126VMHH686G-0 è	
1981 762 45 126VMHH762G-0 è	
1981 838 45 126VMHH838G-0 è	



Finish: Trent: Unfinished & pre-finished oak veneer Dove: unfinished veneer

Style: Raised shaped pa Glazing: Clear bevelled sat glass Other: 👌 FD30 Fire doors Pairs: rebated meeting stiles, le hand open away

Lifestyle images show doors finis

Size (mm)			Code
UNFIN	VISHE	D	
1981	457	35	OTRE16
1981	533	35	OTRE19
1981	610	35	OTRE20V
1981	686	35	OTRE23V
1981	762	35	OTRE26V
1981	838	35	OTRE29V
2032	813	35	OTRE28
1981	686	44	OTRE23FD30v è
1981	762	44	OTRE26FD30V 실
1981	838	44	OTRE29FD30v è

oak	R	5	
anels ifety	Г		7
S			
eft			
shed.			
V V V V			
V			

Trent

Dove Pairs 3

Dove

Size (mm)



Size (mm)	Code	Size (mm)	Code
UNFINISHED*		UNFINISHED*	
1981 610 35	ODOV20	1981 1219 35	ODOV40
1981 686 35	0D0V23	1981 1372 35	ODOV46
1981 762 35	ODOV26V	1981 1524 35	ODOV50
1981 838 35	0D0V29	_	

www.jbkind.com

Finish: Unfinished oak veneer Style: Flat recessed panels **Glazing:** Severn: Clear flat safety glass Churnet: Diamond leaded safety glass **Other: è** FD30 fire doors

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.





v Pre-finished size available from stock Pre-finished available to order Solid wre construction



1981 686 35 OSEV23G

1981 762 35 OSEV26G

1981 838 35 OSEV29G

1981 610 35 ODER20

1981 686 35 ODER23

1981 762 35 ODER26

1981 838 35 ODER29 2032 813 35 ODER28

1981 686 44 ODER23FD30 è

1981 762 44 ODER26FD30 è

1981 838 44 ODER29FD30 è



Churnet

Dean

Sherwood

5



Finish:	Pre-finished oak veneer
Style:	Raised shaped panels
Glazing:	Clear flat safety glass
Other:	è FD30 Fire doors

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Charnwood



Size (mm)			Code
PRE-F	INISH	IED	
1981	533	35	VS02P19
1981	610	35	VS02P20
1981	686	35	VS02P23
1981	762	35	VS02P26
1981	838	35	VS02P29
1981	686	44	VS02P23FD30 실
1981	762	44	VS02P26FD30 실
1981	838	44	VS02P29FD30 🎍

			1.0			
			61 63			
	_		and the			
1			(† 1915) - E		T	The second second
				W		1001
			all a let			
Size (Code		mm)	
PRE-F	INISH			PRE-F	INISHE	D
PRE-F 1981	INISH 610	35	VS04P20	PRE-F 1981	INISHE 686 3	D 5 VSO6L2P23
PRE-F 1981 1981	INISH 610 686	35 35	VS04P20 VS04P23	PRE-F 1981 1981	INISHE 686 3 762 3	D 5 VSO6L2P23 5 VSO6L2P26
PRE-F 1981	610 686 762	35 35 35	VS04P20	PRE-F 1981 1981	INISHE 686 3 762 3	D 5 VSO6L2P23
PRE-F 1981 1981 1981 1981	610 686 762	35 35 35 35	VSO4P20 VSO4P23 VSO4P26	PRE-F 1981 1981	INISHE 686 3 762 3	D 5 VSO6L2P23 5 VSO6L2P26
PRE-F 1981 1981 1981 1981 1981	610 686 762 838	35 35 35 35 44	VSO4P20 VSO4P23 VSO4P26 VSO4P29	PRE-F 1981 1981	INISHE 686 3 762 3	D 5 VSO6L2P23 5 VSO6L2P26

	1				
	I	1			
		W			
	Size (Code	
	PRE-F			code	
1P26G				VS06P20	
1P29G				VS06P23	
				VS06P26	
	1981	838	35	VS06P29	

1981 686 44 VS06P23FD30 1981 762 44 VS06P23FD30 1981 838 44 VS06P29FD30 1981 838 84 VS06P23FD30 1981 8

Arden

Size (mm)

PRE-FINISHED 1981 762 35 VSO6L

1981 838 35 VSO6L

Code



 Size (mm)
 Code

 PRE-FINISHED
 1981
 686
 35
 VS010L23G

 1981
 762
 35
 VS010L26G
 1981
 838
 35
 VS010L29G

Solid wre construction



 Finish:
 Unfinished oak veneer

 Style:
 Eden/Darwen: Flat panel with decorative muntins

 Mersey:
 Raised shaped panels

 Glazing:
 Clear flat safety glass

 Other:

Lifestyle images show doors finished.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Eden



Size (mm)		Code
UNFIN	ISHE	D*	
1981	610	35	OEDE20
1981	686	35	OEDE23
1981	762	35	OEDE26
1981	838	35	OEDE29
2040	626	40	OEDE626
2040	726	40	OEDE726
2040	826	40	OEDE826
1981	686	44	OEDE23FD30 è
1981	762	44	OEDE26FD30 실
1981	838	44	OEDE29FD30 è
2040	726	44	0EDE726FD30 실
2040	826	44	0EDE826FD30 실



Darwen	Mersey	Humber
	James and the	
Size (mm) Code	Size (mm) Code	Size (mm) Code
UNFINISHED*	UNFINISHED*	UNFINISHED*
UNFINISHED* 1981 686 35 ODAR23G	UNFINISHED* 1981 610 35 OMER20	UNFINISHED* 1981 762 35 OHUM26
UNFINISHED* 1981 686 35 ODAR23G 1981 762 35 ODAR26G	UNFINISHED* 1981 610 35 OMER20 1981 686 35 OMER23	UNFINISHED*
UNFINISHED* 1981 686 35 ODAR23G 1981 762 35 ODAR26G 1981 838 35 ODAR29G	UNFINISHED* 1981 610 35 OMER20 1981 686 35 OMER23 1981 762 35 OMER26	UNFINISHED* 1981 762 35 OHUM26
UNFINISHED* 1981 686 35 ODAR23G 1981 762 35 ODAR26G	UNFINISHED* 1981 610 35 OMER20 1981 686 35 OMER23	UNFINISHED* 1981 762 35 OHUM26

 Pre-finished available to order
 Sold the construction



statement with

a pocket door system see page 112

Make a



Glazing: Clear flat safety glass **Other: è** FD30 Fire doors Rebated door pairs can be ordered from stock (not fire doors) with a short lead time. Axis Oak

Axis Oak Glazed



PRE-FINISHED 1981 686 35 VOAXI23G 1981 762 35 VOAXI26G 1981 838 35 VOAXI29G Adding the finishing touch ... see page 116

> Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.


Axis Oak is also available in Walnut and White, see pages 65 & 99.



Solid thre construction

Code


OAK SHAKER <u>Click here to view on our website</u>



Finish: Unfinished oak veneer Style: Recessed flat panels Glazing: Clear flat safety glass **Other: •** FD30 Fire doors Rebated door pairs can be ordered from stock (not fire doors) with a short lead time. Lifestyle images show doors finished.

Snowdon










Solid wre construction

page 101.

www.jbkind.com

T: 01283 554197

OAK SHAKER <u>Click here to view on our website</u>



Finish: Unfinished oak veneer Style: Recessed flat panels Glazing: Clear flat safety glass **Other: •** FD30 Fire doors Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.





Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.




Bi-folds are easy to install into existing linings, supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Lifestyle images show doors finished.





JIZE (COUE	SIZE (0
UNFIN	ISHE	D*		UNFIN	VISHE	D*	
1981	610	35	OETN20	1981	762	35	0
1981	686	35	OETN23				
1981	762	35	OETN26				
1981	838	35	OETN29				
1981	686	44	OETN23FD30 è				
1981	762	44	OETN26FD30 è				
1981	838	44	OETN29FD30 è				



Pre-finished available to order Solid tore construction

1981 838 44 OEIG29FD30 è



Style: Grooved panels are full door thickness Glazing: 1 Light: Clear flat safety glass with etched lines 1 Light FD30: clear fire glass with etched lines and raised beading **Other:** 18mm long edge lippings FD30 Fire doors Rebated door pairs can be ordered from stock (not fire doors) with a short lead time. Thames Bs Clear glass with etched lines Size (mm) Code Size (mm) Code UNFINISHED PRE-FINISHED 1981 457 35 OTHA16 1981 457 35 VOTHA16 1981 533 35 OTHA19 1981 533 35 VOTHA19 1981 610 35 OTHA20 1981 610 35 VOTHA20 1981 686 35 OTHA23 1981 686 35 VOTHA23 1981 711 35 OTHA24 1981 711 35 VOTHA24 1981 762 35 OTHA26 1981 762 35 VOTHA26 1981 838 35 OTHA29 1981 838 35 VOTHA29

Finish: Unfinished & pre-finished oak veneer

The grooved centre panel is full door thickness



Thames 1 Light **NEW** Thames 1 Light FD30 Size (mm)

UNFINISHED

Code Size (mm) Code UNFINISHED* 1981 686 35 0THA1L23 1981 686 44 OTHA1L23FD30 실 1981 762 35 0THA1L26 1981 726 44 OTHA1L26FD30 è 1981 838 35 0THA1L29 1981 838 44 OTHA1L29FD30 🤌 2040 626 40 OTHA1L626 2040 726 40 OTHA1L726 2040 826 40 OTHA1L826 PRE-FINISHED 1981 686 35 V0THA1L23 1981 762 35 VOTHA1L26 1981 838 35 V0THA1L29 Lifestyle images show doors finished. 2040 626 40 VOTHA1L626 2040 726 40 VOTHA1L726 Bs Bespoke options 2040 826 40 VOTHA1L826 Pre-finished available to order Solid ore construction

www.jbkind.com

T: 01283 554197

2040 626 40 OTHA626

2040 726 40 OTHA726

2040 826 40 OTHA826

2040 926 40 OTHA926

1981 610 44 OTHA20FD30 è

1981 686 44 OTHA23FD30 🤳

1981 762 44 OTHA26FD30 실

1981 838 44 OTHA29FD30 실

2040 726 44 OTHA726FD30 è

2040 826 44 OTHA826FD30 🤌

2040 926 44 OTHA926FD30 è

2040 626 40 VOTHA626

2040 726 40 VOTHA726

2040 826 40 VOTHA826

2040 926 40 VOTHA926

1981 610 44 VOTHA20FD30 실

1981 686 44 VOTHA23FD30 🥹

1981 762 44 VOTHA26FD30

1981 838 44 VOTHA29FD30 🌢

2040 726 44 VOTHA726FD30 🤌

2040 826 44 VOTHA826FD30 🌢

2040 926 44 VOTHA926FD30 è

OAK COTTAGE Click here to view on our website



Finish: Unfinished & pre-finished oak veneer **Style:** Grooved panels are full door thickness Glazing: 6 Light: Clear flat safety glass 1/2 light: Clear flat safety glass with etched lines **Other:** 18mm long edge lippings Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Thames 6 Light



Size (mm) Code UNFINISHED* 1981 686 35 OTHA6L23 1981 762 35 OTHA6L26 1981 838 35 OTHA6L29 2040 626 40 OTHA6L626 2040 726 40 OTHA6L726 2040 826 40 OTHA6L826

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



The grooved centre panel is full door thickness

Clear glass with etched lines

Thames 1/2 Light Thames Bi-fold



Code Size (mm) Code UNFINISHED* 1981 686 35 0THAVL23 1981 762 35 OTHABF26 1981 762 35 0THAVL26 Easy to install into existing 1981 838 35 0THAVL29 linings, supplied ready hinged with pivots, brackets and a sliding 1981 686 35 VOTHAVL23 track. Please note that the 1981 762 35 VOTHAVL26 door opening size is listed 1981 838 35 VOTHAVL29 and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Pre-finished available to order Solid core construction

Thames 1/2 Light



Lifestyle images show doors finished.

Size (mm)


UNFINISHED

NEW PRE-FINISHED

www.jbkind.com

T: 01283 554197

OAK COTTAGE <u>click here to view on our website</u>



Other: 20mm edge lippings FD30 Fire doors Rebated door pairs can be ordered from stock (not fire doors) with a short lead time. Lifestyle images show doors finished. Make a statement with a pocket door see page 116 Adding the finishing touch ... see page 112







	1	
5 16	ln.	
		ñ.
	Н	n,

Code

Size (I	,	Code
	NISHED	VOCHE23G
1001	762 35	VOCHE26G
1201	102 33	VOCILLZOG
		VOCHE29G

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

v Pre-finished size available from stock Solid tore construction

Timber veneers are

colour and graining

should be expected.

Colours depicted are representative only.

Solid core construction

a natural material and variations in the



Finish: Panelled doors: Pre-finished oak veneer Ledged: Unfinished oak Style: Natural knotty appearance

4 Panel/DX: recessed flat panels Ledged: individual planks fixed with ledges Glazing: 4 Panel: Clear flat safety glass DX: Opaque flat safety glass



SILC (•••••		couc	
PRE-F	INISH	IED		
1981	610	35	R04P20	
1981	686	35	R04P23	
1981	762	35	R04P26	
1981	838	35	R04P29	
	PRE-F 1981 1981 1981	PRE-FINISH 1981 610 1981 686 1981 762	PRE-FINISHED 1981 610 35 1981 686 35 1981 762 35	

Rustic Oak Ledged





Rustic Oak DX

Code

1981 838 35 RODX29

Back view with braces

1		5	100	
-		1		
F	Ť.	Ē	Г	
			1	

Size (mm) PRE-FINISHED 1981 762 35 RODXTL26

Note: 40mm thickness = 20mm plank + 20mm ledge

If you wish to create a Ledged and Braced style, the Braces are available separately.



Size (mm) Code UNFINISHED 1981 686 40 ROLED23 1981 762 40 ROLED26 1981 838 40 ROLED29

Size (mm) Code LEDGED BRACE PACK (2 per pack) 1000 120 15 ROLEDBRPACK

Front view

www.jbkind.com


T: 01283 554197

56

Walnut

Walnut doors are stylish and refined. This naturally dark-coloured wood brings warmth and a touch of luxury to modern classic interiors.

WALNUT <u>Click here to view on our website</u>



www.jbkind.com

T: 01283 554197

WALNUT <u>Click here to view on our website</u>



Finish: Pre-finished Walnut veneer **Style:** Fernor/Franquette: Flush horizontal grained veneer Mayette/Edras/Vina/Valcor: vertical and horizontal veneers with oak inlay Glazing: Clear flat safety glass with raised beading **Other: è** Certifire FD30 Fire doors



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Matching door pairs cannot be guaranteed Bespoke options Bs sondard core construction



Fernor

5

Franquette



PRE-FINISHED 1981 686 35 WFRA23 1981 762 35 WFRA26 1981 838 35 WFRA29 Glazed fire doors available to order.

Mayette	Edras
N 🗭 🕈	N 🖉 📑
Size (mm) Code	Size (mm) Code
PRE-FINISHED	PRE-FINISHED
1981 610 35 WMAY20	1981 686 35 WEDR23
1981 686 35 WMAY23 1981 762 35 WMAY26	1981 762 35 WEDR26 1981 838 35 WEDR29
1981 762 35 WMAY26 1981 838 35 WMAY29	Glazed fire doors availab
1981 686 44 WMAY23FD30	to order.
1981 080 44 WMAY23FD30 🥑	to order.

-	-09		
~	i ur	N.	
2		1	
	4		
	Franci	A.	

Size (mm) Code PRE-FINISHED WEDR23 1981 610 35 WVIN20 WEDR26 1981 686 35 WVIN23 1981 762 35 WVIN26 1981 838 35 WVIN29 doors available 1981 686 44 WVIN23FD30 1981 762 44 WVIN26FD30 1981 838 44 WVIN29FD30 🌢

Vina

B 🕅 🛃

Size (mm)			Code
PRE-FI	NISH	IED	
1981	686	35	WVAL23
1981	762	35	WVAL26
1981	838	35	WVAL29
Glaze to ord		e doc	ors available

Valcor

-08

5

-

Make a statement with a pocket door system see page 112

0ak inlay

1981 762 44 WMAY26FD30 🌙 1981 838 44 WMAY29FD30 🌢

WALNUT <u>Click here to view on our website</u>









1981 762 35 VWAXI26 1981 838 35 VWAXI29 1981 686 44 VWAXI23FD30 실 1981 762 44 VWAXI26FD30 실 1981 838 44 VWAXI29FD30 è

pages 45 & 99.

Size (mm) Code PRE-FINISHED 1981 686 35 VWAXI23G 1981 762 35 VWAXI26G 1981 838 35 VWAXI29G

Size (mm) Code PRE-FINISHED 1981 610 35 WLAR20 1981 686 35 WLAR23 1981 762 35 WLAR26 1981 838 35 WLAR29 1981 610 44 WLAR20FD30 🌛 1981 686 44 WLAR23FD30 🌛 1981 762 44 WLAR26FD30 🕹 1981 838 44 WLAR29FD30 🕹

Size (mm) Code PRE-FINISHED 1981 686 35 WPAR23 1981 762 35 WPAR26 1981 838 35 WPAR29 Glazed fire doors available to order.


Matching door pairs cannot be guaranteed Bs Bespoke options Solid wre construction 📑 📝 🗺 mi-solid core construction

T: 01283 554197

Laminates

Contemporary elegance – Laminate doors offer a consistent, durable finish in a selection of on-trend coloured wood effect finishes – perfect for all interiors.

LAMINATES <u>Click here to view on our website</u>



LAMINATES <u>Click here to view on our website</u>



www.jbkind.com


T: 01283 554197

70

LAMINATES <u>Click here to view on our website</u>



LAMINATE <u>Click here to view on our website</u>



www.jbkind.com

Painted finish doors use state-of-the-art technology to create realistic timber graining in a choice of colours – achieving a perfect, uniform look.

bund

111141


am

1111

am

10.00

PAINTED FINISH Click here to view on our website



Style: Glazing	Painted mid-grey finish with Pintado: Plain flush Ardosia: Flush with grey color Clear flat safety glass with rai Certifire FD30 Fire doors If trimming is required the do retouching. See website for c	ured grooves sed beading or edges will need
	o Grey	Pintado Grey Glazer
1981 680 1981 762 1981 838		Size (mm) Code PRE-FINISHED 1981 686 35 NGPINT23G 1981 762 35 NGPINT26G 1981 838 35 NGPINT29G Glazed fire doors available to order 1

to order.







 Size (mm)
 Code
 Size (mm)

 PRE-FINISHED
 PRE-FINISHED
 PRE-FINISHED

 1981 610 35 NARD20
 1981 686 33
 1981 762 33

 1981 686 35 NARD23
 1981 762 33
 1981 762 35

 1981 762 35 NARD26
 1981 838 35
 1981 838 35

 1981 686 44 NARD23FD30 0
 Glazed fire d

 1981 762 44 NARD26FD30 0

 PRE-FINISHED

 1981
 686
 35
 NARD23G

 1981
 762
 35
 NARD26G

 1981
 838
 35
 NARD29G

 Glazed fire doors available to order.
 to order.

Code



Bs Bespoke options - mininium quantity may apply M Semi-solid core construction M Seminard core construction

T: 01283 554197

1981 686 44 NGPINT23FD30 🌢

1981 762 44 NGPINT26FD30 🌛

1981 838 44 NGPINT29FD30 🌛



grooved into MDF Viridis: Flush with light coloured grooves Glazing: Clear flat safety glass with raised beading **Other: è** Certifire FD30 Fire doors If trimming is required the door edges will need retouching. See website for colour match information. Tate **S M**

Finish: Painted oak (Tate/Louvre) and

Style: Tate/Louvre: 5 horizontal panels,

vertical grain


natural (Viridis) colour finishes with








Matching door pairs cannot be guarante	ed



1981 838 44 GTAT29FD30 🌢



Size (mm) Code PRE-FINISHED 1981 686 35 GLOU23 1981 762 35 GLOU26 1981 838 35 GLOU29 Glazed fire doors available to order.



1981	610	35	NVIR20	
1981	686	35	NVIR23	
1981	762	35	NVIR26	
1981	838	35	NVIR29	
1981	686	44	NVIR23FD30 실	
1981	762	44	NVIR26FD30 실	
1981	838	44	NVIR29FD30 실	

Code

Size (mm)

Size (mm)		Code
PRE-F	INISH	IED	
1981	686	35	NVIR23G
1981	762	35	NVIR26G
1981	838	35	NVIR29G

Glazed fire doors available to order.



www.jbkind.com

T: 01283 554197

Size (mm)

pre-finished

White

Classic | Contemporary | Shaker | Moulded Panel

White doors are wonderful for encouraging light into your home and are the perfect complement for all interior design themes.



Finish White primed
Style: Flat panels with decorative flush mouldings
Glazing: Clear flat safety glass
Belton Etched: inner etched panel with a clear perimeter
Other: ● FD30 Fire doors
FSC® Certified
Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



Size (mm) Code PRIMED 1981 610 35 SOSB20 1981 686 35 SOSB23 1981 762 35 1981 762 35 SOSB26 1981 838 35 1981 686 44 SOSB29 1981 762 44 1981 762 44 SOSB26FD30 ♦ 1981 838 44 SOSB29FD30 ♦

NEW Colour Options paint service

Looking to paint your doors a different colour? Let us take the hassle away and arrange for your doors to be professionally spray painted.

Our White Classic doors are suitable for this service – look out for the 🞇 icon.

Contact us with your preferred RAL Classic colour reference and we'll do the rest!

See page 12 for more information.



1981 686 35 SBEL23

1981 762 35 SBEL26

1981 838 35 SBEL29

1981 686 44 SBEL23FD30 è

1981 762 44 SBEL26FD30 🤌

1981 838 44 SBEL29FD30 è

Belton Etched Glazed





 Size (mm)
 Code

 PRIMED
 1981 686 35
 SBEL1L23

 1981 762 35
 SBEL1L26
 1981 838 35
 SBEL1L29

 PRIMED

 1981 686 35
 SBEL1LETC23

 1981 762 35
 SBEL1LETC26


 1981 838 35
 SBEL1LETC29

Code

Size (mm)

Colour Options Service

WHITE CLASSIC <u>Click here to view on our website</u>






Glazing: Clear flat safety glass with flush beading **Other: •** FD30 Fire doors FSC[®] Certified Rebated door pairs can be ordered from stock (not bi-fold) with a short lead time. Contact us for fire door options. Tigris White M 🔿

Finish: Pre-finished white

into MDF

Style: 5 ladder style panels, grooved

Size (mm)	Code
PRE-F	INISHED	
1981	610 35	LTIG20
1981	686 35	LTIG23
1981	762 35	LTIG26
1981	838 35	LTIG29
1981	610 44	LTIG20FD30 실
1981	686 44	LTIG23FD30 실
1981	762 44	LTIG26FD30 실
1981	838 44	LTIG29FD30 실





Glazed fire doors with

to order.

raised beading available

Tigris and Emral are available in Oak and Walnut, see pages 25 & 61.



Laminate versions are available in Cinza, Lava and Ivory, see pages 69 & 71.



door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.



Finish: White primed **Style:** 3 ladder style panels, grooved into MDF Glazing: Clear flat safety glass with flush beading **Other: •** FD30 Fire doors FSC[®] Certified Rebated door pairs can be ordered from stock (not bi-fold) with a short lead time. Contact us for fire door options. Mistral White B 🖉 🖻 Size (mm) Code PRIMED 1981 610 35 LMIS20 1981 686 35 LMIS23 1981 762 35 LMIS26 1981 838 35 LMIS29 2040 526 40 LMIS526 2040 626 40 LMIS626 2040 726 40 LMIS726 Mistral White is 2040 826 40 LMIS826 also available in 1981 686 44 LMIS23FD30 è Oak and Walnut, 1981 762 44 LMIS26FD30 🌢 see pages 27 & 61. 1981 838 44 LMIS29FD30 è 2040 726 44 LMIS726FD30 실 2040 826 44 LMIS826FD30 실 2040 926 44 LMIS926FD30 🤌



www.jbkind.com








- Finish:Premium primedStyle:MDF face with feature grooves
- Other: Certifire FD30 Fire doors Rebated door pairs can be ordered from stock (not fire

doors) with a short lead time.



Lyric	Novello	Criterion
Size (mm) Code	Size (mm) Code	Size (mm) Code
PRIMED	PRIMED	PRIMED
1981 610 35 LLYR20	1981 610 35 LNOV20	1981 610 35 LCRI20
1981 686 35 LLYR23	1981 686 35 LNOV23	1981 686 35 LCRI23
1981 762 35 LLYR26 1981 838 35 LLYR29	1981 762 35 LNOV26 1981 838 35 LNOV29	1981 762 35 LCRI26 1981 838 35 LCRI29
1981 838 35 LLYR29 1981 686 44 LLYR23FD30	1981 762 44 LNOV26FD30	
1981 762 44 LLYR26FD30	1981 838 44 LNOV29FD30	1981 762 44 LCRI26FD30
1981 762 44 LLYR29FD30	1201 030 44 LINUVZ9FU3U	1981 762 44 LCRI26FD30



Bs Bespoke options

fürstring touch.... see page 116

Adding the


www.jbkind.com

WHITE SHAKER <u>Click here to view on our website</u>



www.jbkind.com

WHITE SHAKER <u>click here to view on our website</u>



WHITE SHAKER <u>click here to view on our website</u>



Finish White primed Style: Aurora: retro sunshine door Antigua: Full recessed flat panel Glazing: Clear flat safety glass, with additional etched option for Aurora FSC[®] Certified from stock (not fire doors or



Aurora

Size (mm)

PRIMED

Rebated door pairs can be ordered bi-folds) with a short lead time.







Aurora Etched Glazed has opaque etched glass

Aurora Clear Glazed

Aurora Etched Glazed



Antigua



Antigua Bi-fold

Tobago Bi-fold



Bi-folds are easy to install into existing linings, supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Sold ore construction

1981 838 44 CANTI29FD30 실

WHITE SHAKER <u>Click here to view on our website</u>




WHITE MOULDED <u>click here to view on our website</u>




106

WHITE MOULDED <u>click here to view on our website</u>



108

WHITE MOULDED <u>click here to view on our website</u>



110

Size (mm)

PRIMED GRAINED

1981 533 35 CLA19

1981 610 35 CLA20

1981 686 35 CLA23

1981 711 35 CLA24

1981 762 35 CLA26

1981 838 35 CLA29

2032 813 35 CLA28

2040 726 40 CLA726

2040 826 40 CLA826

1981 686 44 CLAHH23 è

1981 762 44 CLAHH26 실

1981 838 44 CLAHH29 🎍

Code

Style: Moulded panel

Adding the

see page 116

Classique

-03

Finishing touch...

FSC[®] Certified





*We always recommend using a professional fitter.

Key features:

- Easy to install* rigid frame, supplied pre-assembled
- Fitted in half the time of other brands
- Designed for stud and plasterboard
- Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.
- Door choice can be changed in the future without structural alteration to the wall.
- Compatible sliding door hardware available
- Available in single and double format

Pocket door cassette:

looking incredibly stylish.

The cassette structure is made from 0.5mm galvanised steel, with the sides formed from single pieces of pressed steel which is corrugated for complete stability. Transverse ribs fixed to the corrugations further re-inforce the structure and allow fixing of plasterboard direct to the cassette. The internal pocket cavity is protected by a cover during installation.

A pocket door system that enables doors to slide

conveniently into a wall cavity and save space whilst

Easy to install* with a rigid frame, our pocket door

be fitted in half the time of other brands.

systems are supplied pre-assembled so that they can

Available for both single and double door situations in

are suitable for use as a pocket door. You can also choose from a selection of pocket door accessories too!

a selection of sizes, almost all of JB Kind's internal doors


Spacer bars:

Twin spacer bars are supplied that are fixed between the cassette and jamb during installation to ensure the structure remains square.

Specifications:

Suits door thickness 35mm with





POCKET DOOR SYSTEMS <u>click here to view on our website</u>

DOUBLE LEAF CONVERSION KIT



How to order a Pocket Door System: Your step by step guide

STEP 1

Single or Double Pocket Door System Use our size quide tables to check your requirements. For a double pocket door, you will need to purchase two single pocket door systems and a double leaf conversion kit.

STEP 2

Choose your door design

The majority of our door designs are suitable for use as pocket doors. However, some doors that have raised mouldings and 44mm fire doors are not suitable. Please get in touch if you're in any doubt.

STEP 3

114

Timber accessory kits You will need an accessory kit as the pocket door system cannot be installed without one. Choose from either white primed or varnished oak, available for both single and double options.

STEP 4

Door Grooving The bottom edge of the door will need to be grooved to fit in the floor guide of a pocket system.

If required, our in-house joinery workshop can pre-groove your doors prior to delivery, for a small charge.

STEP 5

Optional accessories

Automatic Door Closer: is a self-closing system that enables the door to glide into place automatically after being opened.

Double simultaneous operator: enables a double pocket door to open and close simultaneously.

Soft-close damper unit: applies a brake making sure that the door moves slowly and smoothly to a close.

STEP 6

Door furniture Choose from either a bathroom privacy lock or flush door pull.

STEP 7

Finding a JB Kind door supplier Take a look at the Supplier Locator on our website or approved Online Partners.

Once you've chosen a place to purchase from, then just hand over all of your requirements and your doors and pocket systems should be with you in no time!

If you do have any questions, our expert JB Kind team is on hand to help you out, just call 01283 554197 or email info@jbkind.com

Н 0W SW Single and Double Pocket Door – Size Guide Door Size Clear Opening Size Structural Opening (individual) (walkthrough area) Size of the Unit Single Double Single Double Width Width Height Width Height Width Height Width (OH) (SW) (0W)(SW) (SH) mm mm (0W)686 1981 650 1300 1970 1425 2742 2075 762 1981 740 1500 1970

PLASTERBOARD

SINGLE

POCKET

SYSTEM

DOOR

Double Pocket Door Conversion Kit*

PLASTERBOARD

2 SINGLE

POCKET

SYSTEMS

DOOR

Code	Doc	or Size	Code	Single D	oor Size
(mm)	Width	Height	(mm)	Width	Height
POCSYSSGL686	686	1981	DBLLEAFKIT686	686	1981
POCSYSSGL762	762	1981	DBLLEAFKIT762	762	1981
POCSYSSGL838	838	1981	DBLLEAFKIT838	838	1981
POCSYSSGL915	915	1981	DBLLEAFKIT915	915	1981

0W

SW

*For a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit. eq. 2 x POCSYSSGL686 and 1 x DBLLEAFKIT686

Additional Accessories

800

890

1600

1800

1970

1970

838

915

1981

1981

Single Pocket Door

H



Flush Door

ACLOSER Automatic door closer DBLSIMOP Double simultaneous operator Flush Door Pull Pack (satin stainless steel, CIRCPUILI includes 2 circular flush pulls and a round finger pull for the door edge) CIRCBATHLOCK Bathroom Door Hook Lock Pack (satin stainless steel, includes turn and release, hook latch, adjustable keep and finger pull)



Single pocket door kit (shown in oak) Includes: 2 x cover moulds with brush seals header cover and jamb with seals

Code	Oak Varnished
SGLVOAC	single pocket door kit
DBLVOAC	double pocket door kit



Double pocket door kit (shown as white primed) Includes: 4 x cover moulds with brush seals and 2 x header covers

Code	White Primed
SGLWPRIAC	single pocket door kit
DBLWPRIAC	double pocket door kit

T: 01283 554197

Sinale Pocket Door System Finished Wall Thickness mm 125 1625 3142 2075 125 1725 3342 2075 125 1925 125 3742 2075

Double Pocket Door

Timber Accessory Kits

Available in either white primed or varnished oak. Accessory Kits are required to complete pocket door installation.



Code	White Primed
SGLWPRIAC	single pocket doo
DBLWPRIAC	double pocket do

DOOR HANDLE PACKS <u>click here to view on our website</u>

Blade Satin chrome finish

Drift Polished chrome and satin nickel finish



in depth.

Door Handle Latch Packs the perfect partner for your JB Kind doors

Enjoy the convenience of a stylish door handle latch pack, supplied with everything that you need to fit your door in one box. Each pack comes with a pair of handles, a smartlatch, a choice of keeps and three quality stainless steel ball bearing hinges.

Privacy latch packs with revolutionary push button, available in all handle styles. No requirement to purchase or fit a separate bathroom lock.




With a 10 year parts and mechanism guarantee, the premium stainless steel and zinc diecast construction provides that all important peace of mind.


PLEASE NOTE: the hinges provided in our latch packs are not suitable for use with fire doors. Fire door hinges are available separately, call 01283 554197 for details.

Smartlatch: Fit in under five minutes

Step one: Using a 25mm Step two: Using the same drill bit, bore out to 75mm bit, drill the hole for the



Step four: Fit handles.



spindle.





*Raven handle packs do not include a smart latch.

T: 01283 554197



Privacy push

Privacy push

button version

button version



Privacy push

button version

Privacy push

button version

	SMAR	H 🔲 🛃	Style	Standard latch pack	Privacy latch pack
			ROLLER	IROLLP	IROLPP
×3	C		WAVE	IWAVLP	IWAVPP
	1	18	CURL	ICURLP	ICURPP
	+	1.6	BLADE	IBLALP	IBLAPP
0			DRIFT	IDRILP	IDRIPP
		j	TUBE	ITUBLP	ITUBPP
	x3		SMARTLATCH () (**********************************	SMARTLATCH ROLLER WAVE CURL BLADE DRIFT	x3 + Image: Constraint of the sector of

NEW Raven Black matt finish

Roller Polished and satin chrome finish

Wave Polished chrome finish

Black Door Handle Latch Packs, the perfect partner for your Urban Industrial doors



Style Standard latch pack RAVEN RAVLP



Raven Privacy Latch Pack



Privacy latch pack RAVPP



Our External Extreme door range has revolutionised the replacement front door market!

Constructed with an exceptionally durable and dimensionally stable top layer of MEDITE®TRICOYA®EXTREME and sealed with a factory applied paint finish, ensuring that the doors can withstand all weathers - and to illustrate just how confident we are, we issue every External Extreme door with a 10 year guarantee!

All External Extreme doors are:

- Weather resistant
- Supplied with a 10 year guarantee
- Suitable for fitting in a day!
- Supplied with a weather bar

Colour Options paint service

Front door colours are very much a personal choice. External Extreme doors are supplied pre-finished in white but can be easily over painted, should you



DURABLE





within the structure of external doors.

Traditionally used for cladding and facias, MEDITE®TRICOYA®EXTREME's hard-wearing and weather resistant properties make it perfect for use

> PERFECT FOR COATING Improved stability and durability enhances service life of the coating. Damaged coating will not affect the core.



SUSTAINABLY SOURCED FSC[®] Certified. Wood used from sustainable sources.



ENHANCED STABILITY Swelling and shrinking dramatically reduced.







RESISTANT TO FUNGAL DECAY Effective barrier to fungal decay.





Watch TV presenter Roger Bisby, as he fits an External Extreme door.


• Perfect for over painting

wish to achieve a specific colour.

Let us take the hassle away

Tell us your preferred RAL Classic colour reference and we will arrange for your door to be spray painted with a quality exterior finish. See pages 12-13.

EXTERNAL EXTREME <u>click here to view on our website</u>



Colour Options Service

120

T: 01283 554197

1981 838 44 E2XG1P29G

Essential Door Care & Maintenance Advice

The principal enemy of timber doors is excess exposure to moisture or dryness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door oil.

Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

For a perfect finish ...

Applying a quality finish to your internal doors ensures their long term appearance and performance.

We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.

Please refer to **www.mannsuk.com** for more information and to purchase these products directly.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

Installation

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width, if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch/ locks etc. should be cut to the minimum recommended sizes. Panel door rail joints will be significantly weakened if mortises are located there. On completion remove doors, taking off all ironmongery and treat every cut/untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay attention to all edges of your door, particularly any exposed end grain where the propensity for moisture is much greater.

Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our pre-finished doors should not be exposed to inappropriate damp site conditions.

External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully

exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m, regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

Quality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality", BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.


Safety Glass

To comply with building regulations all our pre-glazed doors meet the requirements of the European standards.

IMPORTANT

Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match.

Colours depicted are representative only and are reproduced as accurately as the printing process will allow.



	121 93
	73
	72
	107
	103
	94
	93
	41
	79
	96
White Shaker	102
Oak Shaker	45
White Shaker	99
Walnut	65
White Shaker	99
White Shaker	101
White Contemporary	94
Oak Contemporary	25
White Classic	85
Door Handle Packs	117
Oak Contemporary	33
White Moulded	109
White Moulded	107
White Classic	87
White Shaker	105
Oak Classic	41
Oak Contemporary	33
Oak Cottage	55
Oak Classic	39
Urban Industrial	19
Urban Industrial	19
White Moulded	110
Oak Contemporary	33
External Extreme	121
White Moulded	111
Laminates	75
White Moulded	107
White Contemporary	97
Door Handle Packs	117
Oak Classic	43
Oak Classic	41
White Moulded	108
White Moulded	108
Oak Classic	39
Oak Contemporary	35
	101
White Contemporary	93
Bespoke Options	14-15
Oak Classic	38
	117
White Shaker	100-101
	93
	43
	63
	111
	49
	96
1 /	25
	61
	89
	48
	108
	62
White Contemporary	96
Walnut	62
Oak Shaker	49
Oak Shaker White Shaker	49 100
Oak Shaker White Shaker Oak Classic	49 100 41
Oak Shaker White Shaker Oak Classic Oak Classic	49 100 41 41
Oak Shaker White Shaker Oak Classic	49 100 41
	Oak Shaker White Shaker White Shaker White Shaker White Shaker White Contemporary Oak Contemporary Oak Contemporary White Classic Door Handle Packs Oak Contemporary White Moulded White Moulded Oak Classic Oak Contemporary Oak Cottage Oak Classic Urban Industrial Urban Industrial Urban Industrial Urban Industrial White Moulded Oak Contemporary External Extreme White Moulded Laminates White Moulded Laminates White Moulded Doak Classic Oak Classic Door Handle Packs White Shaker White Contemporary Bespoke Options Oak Classic Door Handle Packs White Shaker White Contemporary Oak Classic Door Handle Packs White Contemporary Oak Classic Door Handle Packs White Contemporary Oak Classic Walnut White Contemporary Oak Contemporary Oak Shaker White Contemporary Oak Shaker White Contemporary Oak Shaker White Moulded Walnut

INDEX - Doors & Accessories

lumber	Oak Classic	43
mperial	White Contemporary	93
amaica	White Shaker	105
JNO	Oak Contemporary	34
ara	Walnut	65
ouvre	Painted Finish	81
ucina	Oak Contemporary White Contemporary	35 97
yric Aatterhorn	Oak Shaker	49
Navette	Walnut	63
Nedina	Oak Contemporary	25
Aersey	Oak Classic	43
Netro Black / Glazed	Urban Industrial	21
Netro White / Glazed	Urban Industrial	21
Ainerva	Oak Contemporary	35
Aistral Oak / Glazed / Bi-fold	Oak Contemporary	27
Aistral Walnut / Glazed	Walnut	61
Aistral White / Glazed / Bi-fold	White Contemporary	91
Nontserrat / Bi-fold	White Shaker	105
levis Iovello	Oak Shaker White Contemporary	47 97
Driole	White Contemporary	97
Isborne	White Classic	85
)stria / Glazed	Oak Contemporary	31
alomino / Glazed	Oak Contemporary	29
arisienne	Walnut	65
hoenix	White Contemporary	95
intado Grey / Glazed	Painted Finish	79
ocket Doors & Accessories	Pocket Door Systems	112-115
Quattro / Glazed	White Moulded	107
laven	Door Handle Packs White Contemporary	93
legent lipple / Glazed	White Contemporary	93
toller	Door Handle Packs	117
ovale 12M Oak / Glazed	Oak Classic	37
ushmore Oak	Oak Shaker	47
ushmore White / Glazed	White Shaker	101
ustic Oak 4 Panel / Glazed	Oak Cottage	57
ustic Oak DX / Glazed	Oak Cottage	57
ustic Oak Ledged	Oak Cottage	57
ustic Oak Ledged - Brace Kit Pack	Oak Cottage	57
avoy	White Contemporary	95
evern herwood	Oak Classic Oak Classic	39 41
irocco / Glazed	Oak Contemporary	31
nowdon / Bi-fold	Oak Shaker	47
pencer	Oak Contemporary	33
ate	Painted Finish	81
hames Extreme / Glazed	External Extreme	120-121
hames Oak	Oak Cottage	51
hames 1 Light / FD30	Oak Cottage	51
hames 6 Light	Oak Cottage	53
hames 1/2 Light	Oak Cottage	53
hames Bi-fold	Oak Cottage	53
igris Cinza / Glazed igris Extreme / Glazed	Laminates External Extreme	69 120
igris Ivory / Glazed	Laminates	71
igris Lava / Glazed	Laminates	71
igris Oak	Oak Contemporary	25
igris Walnut	Walnut	61
igris White / Bi-fold	White Contemporary	89
obago / Bi-fold	White Shaker	103
rent	Oak Classic	38
rinidad	White Shaker	105
ube	Door Handle Packs	117
utbury	Oak Cottage	54
alcor	Walnut Oak Contemporary	63
'enus 'ina	Walnut	34 63
inu		81
'iridis / Glazed	Painted Finish	
'iridis / Glazed Vave	Painted Finish Door Handle Packs	117





JB Kind Limited Portal Place, Astron Business Park, Hearthcote Road, Swadlincote, Derbyshire DE11 9DW T: 01283 554197 F: 01283 554182 E: info@jbkind.com

We reserve the right to make alterations or modify specifications without notice. Errors and omissions excepted.

Contact your local stockist

Follow our doors...



Visit our website to view an interactive version of this brochure.



www.jbkind.com